



stand-alone assembly support for 3RU21/3RB30/3RB31/3RR2 Size S00 Stand-alone installation Main circuit: Screw Auxiliary circuit: --

product brand name		SIRIUS	
product category		Terminal support	
product designation		individual mount	
product type designation		3RU29	
General technical data			
size of overload relay		S00	
protection class IP on the front		IP20	
● according to IEC 60529			
Substance Prohibittance (day/month/year)		10/01/2009	
Net Weight		38.98 g	
Ambient conditions			
ambient temperature		-20 ... +70 °C	
● during operation			
● during storage			
		-50 ... +80 °C	
Electrical Safety			
protection class IP on the front according to IEC 60529		IP20	
touch protection on the front according to IEC 60529		finger-safe, for vertical contact from the front	
Installation/ mounting/ dimensions			
fastening method		screw and snap-on mounting onto 35 mm DIN rail	
height		89 mm	
width		45 mm	
depth		75 mm	
Connections/ Terminals			
type of electrical connection		screw-type terminals	
● for main current circuit			
type of connectable conductor cross-sections		1x (0.5 ... 4 mm²) 1x (0,5 ... 4 mm²) 0.5 ... 2.5 mm² 1x (20 ... 12)	
● for main contacts			
— solid			
— stranded			
— finely stranded with core end processing			
● for AWG cables for main contacts			
Approvals Certificates			
Environment	General Product Approval		Test Certificates

[Environmental Conformations](#)



[Special Test Certificate](#)

Test Certificates

Maritime application

[Type Test Certificates/Test Report](#)



Maritime application

other



[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RU2916-3AA01>

Cax online generator


<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RU2916-3AA01>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RU2916-3AA01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RU2916-3AA01&lang=en





1/L1

3/L2

5/L3

last modified:

4/2/2025 