

Product Description

Standard Lustre P45 clear

Spherical vacuum- or gas-filled incandescent lamps with a clear glass bulb and E- or B-base

Benefits

- Brilliant, visible filament adds small points of brightness for an enriched lighting effect

Features

- Small, crystal-clear lamps designed for sparkling highlights
- At their best in decorative small luminaires such as table models and wall brackets with clear glass bowls
- Creates a sparkling atmosphere

Application

- Home use in living and dining rooms, bedrooms, halls and studies
- Hotel lounges, restaurants, bedrooms, halls, conference rooms and foyers
- Clubs and social areas
- Shops, boutiques and department stores
- Other similar areas

Standard Lustre P45 clear

Versions



B22, P45, CL



E27, P45, Clear




E14, P45, Clear




E27, P45, Clear

Dimensional drawing




Product	D	C (max)
Standard 60W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 40W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 60W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 25W E27 220-240V P45 CL 1CT/5X10F	45 mm	73 mm
Standard 40W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 60W E27 125-130V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 40W E27 125-130V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 40W E27 220V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 15W E27 220-240V P45 CL 1CT/50X10F	45 mm	73 mm
CLAS 25W E27 230V P45 CL 1000H 1CT/10x10	45 mm	73 mm
Standard 40W E27 220-240V P45 CL 1CT/5X10F	45 mm	73 mm
CLAS 40W E27 230V P45 CL 1000H 1CT/10x10	45 mm	73 mm
Standard 60W E27 220V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 60W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm
Standard 40W E27 230V P45 CL 1CT/10X10F	45 mm	73 mm



Product	D	C (max)
Standard 60W E14 230V P45 CL 1CT/10X10F	45 mm	78 mm
Standard 25W E14 220-240V P45 CL 1CT/5X10F	45 mm	78 mm
Standard 40W E14 125-130V P45 CL 1CT/10X10F	45 mm	78 mm
Standard 40W E14 230V P45 CL 1CT/10X10F	45 mm	78 mm
Standard 40W E14 230V P45 CL 1CT/10X10F	45 mm	78 mm
Standard 60W E14 230V P45 CL 1CT/10X10F	45 mm	78 mm


Standard Lustre P45 clear

Dimensional drawing



Product	D	C (max)
230V 15W GLS CLEAR BAYONET CAP	45 mm	71.5 mm

Product	D	C (max)
Standard 40W E27 127V P45 CL U OV 1CT/5X10F	45 mm	73 mm



General Information	
Nominal Lifetime (Nom)	1000 h

Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	P45

Controls and Dimming

Order Code	Full Product Name	Dimmable
921400544299	230V 15W GLS CLEAR BAYONET CAP	Yes
921402443348	Standard 15W E27 220-240V P45 CL 1CT/50X10F	Yes
921411543301	Standard 25W E27 220-240V P45 CL 1CT/5X10F	Yes
921419144260	CLAS 25W E27 230V P45 CL 1000H 1CT/10x10	Yes
921419344260	CLAS 40W E27 230V P45 CL 1000H 1CT/10x10	Yes
921421535673	Standard 40W E27 125-130V P45 CL 1CT/10X10F	Yes
921421542901	Standard 40W E27 220V P45 CL 1CT/10X10F	-
921421543301	Standard 40W E27 220-240V P45 CL 1CT/5X10F	Yes
921421544284	Standard 40W E27 230V P45 CL 1CT/10X10F	Yes
921429535673	Standard 60W E27 125-130V P45 CL 1CT/10X10F	Yes
921429542901	Standard 60W E27 220V P45 CL 1CT/10X10F	-
926000005846	Standard 60W E27 230V P45 CL 1CT/10X10F	Yes

Order Code	Full Product Name	Dimmable
926000005857	Standard 60W E27 230V P45 CL 1CT/10X10F	Yes
926000005858	Standard 60W E27 230V P45 CL 1CT/10X10F	Yes
926000006412	Standard 40W E27 230V P45 CL 1CT/10X10F	Yes
926000006433	Standard 40W E27 230V P45 CL 1CT/10X10F	Yes
921411043301	Standard 25W E14 220-240V P45 CL 1CT/5X10F	Yes
921421035610	Standard 40W E14 125-130V P45 CL 1CT/10X10F	Yes
926000005022	Standard 60W E14 230V P45 CL 1CT/10X10F	Yes
926000005023	Standard 60W E14 230V P45 CL 1CT/10X10F	Yes
926000006511	Standard 40W E14 230V P45 CL 1CT/10X10F	Yes
926000006523	Standard 40W E14 230V P45 CL 1CT/10X10F	Yes
923268735892	Standard 40W E27 127V P45 CL U OV 1CT/5X10F	-

Operating and Electrical

Standard Lustre P45 clear

Order Code	Full Product Name	Voltage (Nom)	Power (Rated) (Nom)	Starting Time (Nom)
921400544299	230V 15W GLS CLEAR BAYONET CAP	230 V	15 W	-
921402443348	Standard 15W E27 220-240V P45 CL 1CT/50X10F	220-240 V	15 W	-
921411543301	Standard 25W E27 220-240V P45 CL 1CT/5X10F	220-240 V	25 W	-
921419144260	CLAS 25W E27 230V P45 CL 1000H 1CT/10x10	230 V	25 W	-
921419344260	CLAS 40W E27 230V P45 CL 1000H 1CT/10x10	230 V	40 W	-
921421535673	Standard 40W E27 125-130V P45 CL 1CT/10X10F	125-130 V	40 W	-
921421542901	Standard 40W E27 220V P45 CL 1CT/10X10F	220 V	40 W	-
921421543301	Standard 40W E27 220-240V P45 CL 1CT/5X10F	220-240 V	40 W	-
921421544284	Standard 40W E27 230V P45 CL 1CT/10X10F	230 V	40 W	-
921429535673	Standard 60W E27 125-130V P45 CL 1CT/10X10F	125-130 V	60 W	-
921429542901	Standard 60W E27 220V P45 CL 1CT/10X10F	220 V	60 W	-
926000005846	Standard 60W E27 230V P45 CL 1CT/10X10F	230 V	60 W	-
926000005857	Standard 60W E27 230V P45 CL 1CT/10X10F	230 V	60 W	-
926000005858	Standard 60W E27 230V P45 CL 1CT/10X10F	230 V	60 W	-
926000006412	Standard 40W E27 230V P45 CL 1CT/10X10F	230 V	40 W	-
926000006433	Standard 40W E27 230V P45 CL 1CT/10X10F	230 V	40 W	-
921411043301	Standard 25W E14 220-240V P45 CL 1CT/5X10F	220-240 V	25 W	-
921421035610	Standard 40W E14 125-130V P45 CL 1CT/10X10F	125-130 V	40 W	-
926000005022	Standard 60W E14 230V P45 CL 1CT/10X10F	230 V	60 W	-
926000005023	Standard 60W E14 230V P45 CL 1CT/10X10F	230 V	60 W	-
926000006511	Standard 40W E14 230V P45 CL 1CT/10X10F	230 V	40 W	-
926000006523	Standard 40W E14 230V P45 CL 1CT/10X10F	230 V	40 W	-
923268735892	Standard 40W E27 127V P45 CL U OV 1CT/5X10F	127 V	40 W	0.0 s

General Information

Order Code	Full Product Name	Cap-Base	Main Application	Operating Position	Rated Lifetime (Hours)
921400544299	230V 15W GLS CLEAR BAYONET CAP	B22	-	UNIVERSAL	-
921402443348	Standard 15W E27 220-240V P45 CL 1CT/ 50X10F	E27	-	UNIVERSAL	-
921411543301	Standard 25W E27 220-240V P45 CL 1CT/ 5X10F	E27	-	UNIVERSAL	1000 h
921419144260	CLAS 25W E27 230V P45 CL 1000H 1CT/ 10x10	E27	-	UNIVERSAL	1000 h
921419344260	CLAS 40W E27 230V P45 CL 1000H 1CT/ 10x10	E27	-	UNIVERSAL	1000 h
921421535673	Standard 40W E27 125-130V P45 CL 1CT/ 10X10F	E27	-	UNIVERSAL	1000 h
921421542901	Standard 40W E27 220V P45 CL 1CT/10X10F	E27	-	UNIVERSAL	1000 h
921421543301	Standard 40W E27 220-240V P45 CL 1CT/ 5X10F	E27	-	UNIVERSAL	1000 h
921421544284	Standard 40W E27 230V P45 CL 1CT/10X10F	E27	-	UNIVERSAL	1000 h
921429535673	Standard 60W E27 125-130V P45 CL 1CT/ 10X10F	E27	-	S90	1000 h
921429542901	Standard 60W E27 220V P45 CL 1CT/10X10F	E27	-	-	1000 h
926000005846	Standard 60W E27 230V P45 CL 1CT/10X10F	E27	-	S90	1000 h
926000005857	Standard 60W E27 230V P45 CL 1CT/10X10F	E27	-	S90	1000 h
926000005858	Standard 60W E27 230V P45 CL 1CT/10X10F	E27	-	S90	1000 h
926000006412	Standard 40W E27 230V P45 CL 1CT/10X10F	E27	-	UNIVERSAL	1000 h
926000006433	Standard 40W E27 230V P45 CL 1CT/10X10F	E27	-	UNIVERSAL	1000 h

Standard Lustre P45 clear

Order Code	Full Product Name	Cap-Base	Main Application	Operating Position	Rated Lifetime (Hours)
921411043301	Standard 25W E14 220-240V P45 CL 1CT/5X10F	E14	-	UNIVERSAL	1000 h
921421035610	Standard 40W E14 125-130V P45 CL 1CT/10X10F	E14	-	UNIVERSAL	1000 h
926000005022	Standard 60W E14 230V P45 CL 1CT/10X10F	E14	-	UNIVERSAL	1000 h
926000005023	Standard 60W E14 230V P45 CL 1CT/10X10F	E14	-	UNIVERSAL	1000 h
926000006511	Standard 40W E14 230V P45 CL 1CT/10X10F	E14	-	UNIVERSAL	1000 h
926000006523	Standard 40W E14 230V P45 CL 1CT/10X10F	E14	-	UNIVERSAL	1000 h
923268735892	Standard 40W E27 127V P45 CL U OV 1CT/5X10F	E27	Oven	UNIVERSAL	-

Light Technical

Order Code	Full Product Name	Color Rendering Index (Nom)	Luminous Flux (Nom)
921400544299	230V 15W GLS CLEAR BAYONET CAP	100	110 lm
921402443348	Standard 15W E27 220-240V P45 CL 1CT/50X10F	100	115 lm
921411543301	Standard 25W E27 220-240V P45 CL 1CT/5X10F	100	200 lm
921419144260	CLAS 25W E27 230V P45 CL 1000H 1CT/10x10	100	205 lm
921419344260	CLAS 40W E27 230V P45 CL 1000H 1CT/10x10	100	390 lm
921421535673	Standard 40W E27 125-130V P45 CL 1CT/10X10F	100	460 lm
921421542901	Standard 40W E27 220V P45 CL 1CT/10X10F	100	395 lm
921421543301	Standard 40W E27 220-240V P45 CL 1CT/5X10F	100	385 lm
921421544284	Standard 40W E27 230V P45 CL 1CT/10X10F	100	390 lm
921429535673	Standard 60W E27 125-130V P45 CL 1CT/10X10F	100	725 lm
921429542901	Standard 60W E27 220V P45 CL 1CT/10X10F	100	660 lm
926000005846	Standard 60W E27 230V P45 CL 1CT/10X10F	100	640 lm
926000005857	Standard 60W E27 230V P45 CL 1CT/10X10F	100	640 lm
926000005858	Standard 60W E27 230V P45 CL 1CT/10X10F	100	640 lm
926000006412	Standard 40W E27 230V P45 CL 1CT/10X10F	100	390 lm
926000006433	Standard 40W E27 230V P45 CL 1CT/10X10F	100	390 lm
921411043301	Standard 25W E14 220-240V P45 CL 1CT/5X10F	100	210 lm
921421035610	Standard 40W E14 125-130V P45 CL 1CT/10X10F	100	480 lm
926000005022	Standard 60W E14 230V P45 CL 1CT/10X10F	100	650 lm
926000005023	Standard 60W E14 230V P45 CL 1CT/10X10F	100	650 lm
926000006511	Standard 40W E14 230V P45 CL 1CT/10X10F	100	405 lm
926000006523	Standard 40W E14 230V P45 CL 1CT/10X10F	100	405 lm
923268735892	Standard 40W E27 127V P45 CL U OV 1CT/5X10F	-	455 lm

Approval and Application

Order Code	Full Product Name	Energy Efficiency Label (EEL)
921400544299	230V 15W GLS CLEAR BAYONET CAP	-
921402443348	Standard 15W E27 220-240V P45 CL 1CT/50X10F	E
921411543301	Standard 25W E27 220-240V P45 CL 1CT/5X10F	-
921419144260	CLAS 25W E27 230V P45 CL 1000H 1CT/10x10	-
921419344260	CLAS 40W E27 230V P45 CL 1000H 1CT/10x10	-
921421535673	Standard 40W E27 125-130V P45 CL 1CT/10X10F	E
921421542901	Standard 40W E27 220V P45 CL 1CT/10X10F	E
921421543301	Standard 40W E27 220-240V P45 CL 1CT/5X10F	-
921421544284	Standard 40W E27 230V P45 CL 1CT/10X10F	E
921429535673	Standard 60W E27 125-130V P45 CL 1CT/10X10F	E
921429542901	Standard 60W E27 220V P45 CL 1CT/10X10F	-
926000005846	Standard 60W E27 230V P45 CL 1CT/10X10F	E
926000005857	Standard 60W E27 230V P45 CL 1CT/10X10F	E
926000005858	Standard 60W E27 230V P45 CL 1CT/10X10F	E

Standard Lustre P45 clear

Order Code	Full Product Name	Energy Efficiency Label (EEL)
926000006412	Standard 40W E27 230V P45 CL 1CT/10X10F	E
926000006433	Standard 40W E27 230V P45 CL 1CT/10X10F	E
921411043301	Standard 25W E14 220-240V P45 CL 1CT/5X10F	E
921421035610	Standard 40W E14 125-130V P45 CL 1CT/10X10F	E
926000005022	Standard 60W E14 230V P45 CL 1CT/10X10F	E

Order Code	Full Product Name	Energy Efficiency Label (EEL)
926000005023	Standard 60W E14 230V P45 CL 1CT/10X10F	E
926000006511	Standard 40W E14 230V P45 CL 1CT/10X10F	E
926000006523	Standard 40W E14 230V P45 CL 1CT/10X10F	E
923268735892	Standard 40W E27 127V P45 CL U OV 1CT/5X10F	E

© 2016 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.